

- Absorptance, *see also* Absorptivity
 - in cloud, 188
 - optical path, 157
- Absorption
 - band-averaged, 281, 282
 - exponential atmosphere, 184–187
 - weighting function, 184–187
- Absorption coefficient, 73, 149
 - homogeneous medium, 27
 - mass, 161–163
 - small particle, 349–351
 - volume, 161–163
 - mixtures, 162–163
- Absorption cross-section, 161–163
- Absorption efficiency, 161–163
 - small particle, 347–348
 - spheres, 356–358
- Absorption index, 73
- Absorptivity, 95–96
- Adding-doubling method, 418–419
- Advanced Microwave Sounding Unit (AMSU), 223
- Aerosols
 - extinction efficiency, 356
 - indirect cooling by, 193–194
 - properties, abundance, 178, 193, 337
- Albedo, 98, *see also* Reflectivity, Reflectance
 - clouds, *see* Clouds, radiative properties
 - natural surfaces, 99
 - planetary, 133, 137
 - shortwave, 129
- Atmosphere
 - composition, 170
 - emission spectra, 211–220
 - emissivity of, 204–205
 - transmission spectrum, 168–179
 - microwave, 175
- Atmospheric heating/cooling
 - cooling-to-space approximation, 305
 - equations, 299–305
 - examples
 - longwave, 309–312
 - shortwave, 307–309
- Azimuthal angle, 33
- Band transmission
 - isolated line, 281–286
 - equivalent width, 281–285
 - Lorentz line, 283–285
 - square line, 282–283
 - strong line limit, 284–285
 - weak line limit, 282
- models, 277–292
 - comparison, 291
 - defining, 286–287
 - Elsasser, 287–290
 - HCG approximation, 291–292
 - random/Malkmus, 290–291

- Bands, spectral, 54–64
 and diabatic heating, 57
 and photochemistry, 57
 and remote sensing, 57
 gamma rays and X-rays, 58
 infrared, 61–63
 microwave, 63–64
 radio, 63–64
 ultraviolet, 58–60
 visible, 60–61
- BDRF, *see* Bidirectional reflection function
- Beer's law, 75, 155, 279
 as limiting case, 289, 291
- Beer-Bouguer-Lambert law, 75, *see* Beer's law
- Bidirectional reflection function (BDRF), 102–104, 108
 and remote sensing, 107–108
 sunglint, 108
- Blackbody, 112–114
- Blackbody emission, 112–120
 broadband flux, 118
- Blueing, 354–355
- Boltzmann's constant, 114
- Boundary layer
 daytime heating of, 21
 marine, 142
- BRDF, *see* Bidirectional reflection function
- Brewster angle, 86
- Brightness temperature, 124–126, 375
 in IR images, 144–145
 in satellite images
 diurnal variation, 145
 microwave, 126
 ocean, 147–148
- Broadband radiation
 definition, 17
- Bruggeman dielectric mixing formula, 78
- Carbon dioxide
 15 μm band, 174, 214, 217, 269–270, 304
 4.3 μm band, 174, 269
 absorption in near IR, 174
 as greenhouse gas, 62, 138
 atmospheric abundance, 170, 171
 dipole moment, 244
 in Martian atmosphere, 67
 IR absorption spectrum, 265, 269–270
 molecular structure, 240
- Carbon monoxide
 atmospheric abundance, 170
 IR absorption spectrum, 264–265
 molecular structure, 240
- CCN, *see* Cloud condensation nuclei
- CFCs, *see* Chlorofluorocarbons
- Chapman layer, 186
- Chlorofluorocarbons (CFCs)
 and ozone depletion, 70
 as greenhouse gas, 62
 atmospheric abundance, 170
 molecular structure, 240
- Cloud condensation nuclei (CCN), 192–193
- Cloud droplets
 asymmetry parameter, 366
 effective radius, 195–196
 extinction efficiency, 356
 monodisperse vs. polydisperse, 189
 number concentration, 337
 single scatter albedo, 366–368
 size distribution, 194–196, 365
 typical sizes, 188
- Cloud water
 microwave extinction coefficient, 375
 microwave remote sensing, 148, 351, 374–379
- Clouds
 as contaminant in satellite measurements, 145
 effective radius
 remote sensing, 368
 in IR images, 144
 radiative properties, 366–368
 albedo, 188, 394–396, 400, 402
 dependence on drop size,

- 368
- dependence on phase, 368
- diffuse transmittance, 402–406
- direct transmittance, 187–194
- flux and heating profiles, 397–398
- general case, 401–406
- multiple layers, 415–417
- non-absorbing, 399–401
- optical thickness, 187–196
- over non-black surfaces, 410–415
- semi-infinite, 393–398
- transmittance, 400–409
- Collision broadening, *see* Pressure broadening
- Color and wavelength, 60
- Color temperature, 118
- Conductivity, electric, 23
- Continuum absorption, 260–263, 275
 - water vapor, 262–263, 309, 311
 - microwave, 176
- Cooling to space, 304
 - as approximation, 305
- Corona, 363
- Cosmic rays, 58
- Crepuscular rays, 363
- Cross-section
 - absorption, 161–163
 - extinction, 160–163
 - scattering, 161–163
- Dew formation, 139–140
- Diamond, refraction and reflection
 - by, 86
- Dielectric constant, 76–79
 - effective, 78–79
 - of heterogeneous mixtures, 77–79
 - relationship to index of refraction, 76–77
- Dipole radiation, 340–344
- Discrete ordinates method, 418
- Doppler broadening, 254–256
 - compared with pressure broadening, 258–260
- Doppler effect, 15–16, 255
- Doppler wind profilers, 64
- Eddington approximation, 417
- Effective emitting temperature
 - Sun, 119
 - top of atmosphere, 133
- El Niño, 145
- Electric charge density, 22, 23
- Electric conductivity, 23
- Electric current vector, 22
- Electric displacement, 22
- Electric field, 22
- Electromagnetic radiation
 - absorption of, 26–27
 - coherent and incoherent, 17–19
 - electric, magnetic fields, 9–10
 - energy, 20–21
 - frequency, 14–16, 53–54
 - mathematical description, 22–27
 - Maxwell's equations, 22–24
 - monochromatic and broadband, 17
 - phase speed
 - and reflection, refraction, 72
 - in a medium, 73
 - polarization, 18–20
 - circular, 18
 - degree of, 20
 - elliptical, 19
 - linear, 18
 - neglect of, 20
 - properties, 9–33
 - quantum properties, 28–30
 - quasi-monochromatic, 17
 - wavelength, 14–16, 53–54
 - wavenumber, 54
 - waves, 11–27
 - homogeneous, 24, 25
 - phase speed, 25–26
 - plane, 24–25
 - time-harmonic solution, 23–24
- Emission, 110–112
 - infrared spectra of earth, atmosphere, 125

- weighting function, 200–203
- when it matters, 126–128
- Emissivity, 120–122
 - graybody, 121–122
 - in IR images, 144
 - longwave, 129
 - microwave, 125–126
 - land and ocean, 146, 148
 - polarization dependence, 146
 - wind speed dependence, 147–148
 - monochromatic, 120–121
- Equilibrium temperature
 - Earth's surface, 137–138
 - moon's surface, 129, 130
 - of sphere, 130–132
- Equinox, 48
- Error function, 289
- Exitance, radiant, 21, *see also* Flux
- Extinction
 - absorption vs. scattering, 151
 - by aerosols and clouds, 178–179
 - classroom demonstration, 150–152
 - extended path, 155–157
 - infinitesimal path, 154–155
- Extinction coefficient, 150, 152
 - mass, 157–159, 161–163
 - scattering plus absorption, 153
 - volume, 158, 161–163
 - mixtures, 162–163
 - size distributions, 195, 365
- Extinction cross-section, 159–163
- Extinction efficiency, 160–163
 - absorbing sphere, 356–358
 - nonabsorbing sphere, 352–356
 - limiting value, 354
 - small particle, 347–348
- Extinction law, 75, *see* Beer's law
- Extinction paradox, 160–161, 363, 423–424, 428
- Far infrared, *see also* Infrared radiation
 - absorption by water vapor, 174
- Flux, 21, 30–32
 - absorbed, 96
 - and photons, 28
 - broadband, 31
 - monochromatic, 31, 205–207
 - transmittance, 206, 276
 - typical units, 31
 - weighting function, 206
 - net
 - and heating profile, 277, 299–301
 - definition, 44
 - reflected, 96
 - relationship to intensity, 33, 43–45
 - for isotropic intensity, 44
 - general, 44
 - spectral, 31
- Flux density, 21, 30, *see also* Flux
- Fogbow, 364–365
- Forward diffraction peak, 360–363, 422, 423
 - truncation of, 424–426
- Fourier decomposition, 16
- Frequency, 14–16, 53–54, 66
 - decomposition, 16–17
- Fresnel relations, 83, 88, 93, 147
- Frost formation, 111, 139–140
- GCM, *see* General circulation models
- General circulation models (GCMs), 138, 277
- Geometric optics, 423
 - and extinction paradox, *see* Extinction paradox
 - and rainbow, halo, 87
 - as alternative to Mie theory, 352
- Gigahertz (GHz), definition, 63
- Global heat engine, 4–6
- Global warming, 138
 - countered by aerosols, 193
- Glory, 361, 364
- Graybody approximation, 97–98, 129
- Grayness parameter, 288
- Greenhouse effect, 137
- Greenhouse gases, 62, 138
- Halo, 91
- HITRAN spectroscopic data base, 273

- Hydroxyl radical (OH), 69–70
- Ice
 index of refraction, 73, 74
 microwave emissivity, 125
- Ice crystals, 91
- Ideal gas law, 163
- Index of refraction, 26
 and phase speed, 26
 complex, 26, 72
 imaginary part, 73–75
 relationship to absorption coefficient, 27
 Kramer-Kronig relations, 72
 of air, 73
 of ice, 73, 74
 of water, 73, 74
 real part, 73
 relative, 84, 339
- Infrared
 spectral window, 143, 174
- Infrared (IR) radiation, 61–63
 and greenhouse gases, 62
 atmospheric absorbers, 264–272
 atmospheric absorption, 174
 atmospheric transmission spectrum, 173
 far IR band, 63
 near IR band, 62–63
 significance for energy exchange, 61, 62
 thermal IR band, 63
- Infrared radiation
 thermal
 significance of, 3, 65
- Insolation
 daily average, 50
 global, 46–47
 regional and seasonal, 47–50
- Intensity, 30, 32–45
 and polarization, 40–42
 conservation of, 38–40
 formal definition, 37–38
 relationship to flux, 33, 43–45
 for isotropic intensity, 44
 general, 44
 scalar, 40
- IR radiation, *see* Infrared radiation
- Irradiance, 21, *see also* Flux
- k -distribution method, 277–279, 292–298
 correlated- k , 296–298
- Kirchhoff's law, 112, 122–123, 129
- Lambertian reflection, 100–103
 in radiative transfer equation, 209–210
- Latent heat flux, 105
- Legendre polynomials, 420–422
 expansion of phase function, 420–423
- Lightning detection systems, 64
- Line strength, 253
- Line strength distribution models, 287
- Line-by-line (LBL) calculations, 274–277
- Local thermodynamic equilibrium (LTE), 123, 231–232
- Longwave radiation, 110, *see also* Infrared (IR) radiation
 separation from shortwave, 127
- Lorentz line shape, 256–257
- LTE, *see* Local thermodynamic equilibrium
- Magnetic field, 22
- Magnetic induction, 22
- Magnetic permeability, 22
 of free space, 26
- Marine haze
 scattering phase function, 325
- Mass absorption coefficient, *see* Absorption coefficient, mass
- Mass extinction coefficient, *see* Extinction coefficient, mass
- Mass path, 183, 281
 non-dimensional, 283
- Mass scattering coefficient, *see* Scattering coefficient, mass
- Maxwell Garnett dielectric mixing formula, 78
- Maxwell's equations, 22–24
- Methane

- absorption in near IR, 174
- as greenhouse gas, 62
- atmospheric abundance, 170
- IR absorption spectrum, 271–272
- molecular structure, 240
- Microwave imaging
 - transparency of clouds, 374
- Microwave radiation, 63–64
 - atmospheric transmission, 174–176, 376
 - brightness temperature, 126
- Microwave radiometers, 374–375
- Microwave remote sensing, 64, 126, 146–148, *see also* Remote sensing, microwave
- resolution, 148
- transparency of clouds, 146
- Mie theory, 351–365
 - absorption efficiency, 356–358
 - asymmetry parameter, 358
 - extinction efficiency, 351–358
 - forward diffraction peak, 360–363
 - phase function, 358–365
 - scattering coefficients, 352
 - scattering efficiency, 351–352
 - series truncation, 352
 - single scatter albedo, 356–358
- Model atmospheres, 305–307
- Molecular absorption and emission
 - combined transitions, 251
 - continuum, 260–263
 - electronic transitions, 249–250
 - line positions, 233–235
 - line shape, 251–260
 - Doppler broadened, 254–256
 - pressure broadened, 256–258
 - van Vleck-Weisskopf, 258
 - Voigt, 260
 - physical basis, 231–232
 - rotation spectra, 241–243
 - rotational transitions, 236–244
 - transition types, 235
 - vibration modes, 247–249
 - vibration/rotation spectra, 245–247
 - vibrational transitions, 244–249
- Molecular scattering
 - polarization, 346
 - transmission spectrum, 177–178
- Molecules
 - dipole moment, 243
 - moments of inertia, 236–240
 - quantized angular momentum, 240–241
- Monochromatic radiation, 17
- Monte Carlo model, 385, 418
- μ , definition, 165, 318
- Mueller matrix, 41–42
- Net flux
 - and atmospheric heating, 299–301
 - definition, 44
- Nitrogen
 - atmospheric abundance, 170
 - lack of dipole moment, 244
 - molecular structure, 240
- Nitrogen oxides, 68
- Nitrous oxide
 - absorption in near IR, 174
 - atmospheric abundance, 170
 - IR absorption spectrum, 272
 - molecular structure, 240
- Number density (of particles), 160
- OLR, *see* Outgoing longwave radiation
- Optical depth, 155, *see* Optical thickness
 - δ -scaled, 427
 - as vertical coordinate, 167–168
 - exponential atmosphere, 183
 - similarity transformed, 409
- Optical path, 155
 - additive property, 156
 - constant extinction coefficient, 156
- Optical thickness, 166, *see also* Optical depth
 - clouds, 187–196
- Outgoing longwave radiation (OLR), 132, 133
 - zonally averaged, 5

- Oxygen
 118 GHz band, 175, 376
 60 GHz band, 175, 223, 376
 atmospheric abundance, 170
 binding energy of, 29
 dipole moment, 244
 molecular structure, 240
 photodissociation of, 29, 66
- Ozone
 9.6 μm band, 174, 214–215, 271
 as pollutant, 68–69
 atmospheric abundance, 170
 formation of, 66
 importance for heating profiles, 307–311
 IR absorption spectrum, 270–271
 molecular structure, 240
- Ozone layer, 57, 59, 66–67
 and atmospheric temperature structure, 67
 depletion of, 67
- P-, Q-, R-branches, 246–247
- Parhelia, 91
- Particles
 atmospheric, 337–338
 nonspherical, 340
 physical properties, 338–340
 size distributions, 365–366
 size parameter, 338
- Penetration depth, 75
 water, ice, 75
- Permittivity
 in a medium, 24
 of free space, 22, 26
 relative, 76
- Peroxyacetyl nitrate (PAN), 68
- Phase function, 316, 319–325
 δ -scaling, 423–429
 compared with similarity transformation, 427
 asymmetry parameter, 322–325
 Henyey-Greenstein, 324–325
 double, 325
 isotropic, 320–322
- Legendre polynomial expansion, 420–423
 marine haze, 325
 normalization, 316, 320
 Rayleigh, 323
 relation to phase matrix, 352
 size distributions, 366
 spheres, 358–365
- Photochemistry, 57
 and air pollution, 57, 67–69
- Photodissociation, 29, 261
 of oxygen, 29, 66
- Photoelectric effect, 28
- Photoionization, 260–261
- Photon, 28
 energy, 28–29
- Planck's constant, 28, 114
- Planck's function, 111, 114–116, 124, 127, 128
 as function of frequency, 116
 physical dimensions, 115
- Plane parallel approximation, 163–168
 and Earth's curvature, 164
 validity for atmosphere, 163
 validity for clouds, 164
- Planetary albedo, 133, 137
- Polarization, 14, 18–20, *see also* Electromagnetic radiation, polarization
 and microwave emissivity, 146
 and Rayleigh scattering, 344–347
 and reflectivity, 84–86
 in radiative transfer equation, 317
 Stokes representation, 40–42
 vertical and horizontal, 85
- Polarized sunglasses, 20, 86, 347
- Precipitable water, 145
- Pressure broadening, 256–258
 compared with Doppler broadening, 258–260
- Quantum number
 rotational, 241–242
 vibrational, 245, 247–249

- Radar, 15, 19, 64, 146, 351, 368–374
 backscatter cross-section, 369
 backscatter efficiency, 370
 dependence on phase, 371
 hailstones, 371
 raindrops, 371
 Rayleigh, 370
 equivalent reflectivity factor, 372
 operation, 368
 reflectivity factor, 372
- Radiance, 30, *see* Intensity
- Radiant intensity, 30, *see* Intensity
- Radiation budget, 129–142
- Radiation, ionizing, 58
- Radiative cooling
 atmosphere, *see* Atmospheric heating/cooling
 cloud top, 141–142
 surface, 139–141
- Radiative equilibrium, 129
 in vacuum, 129–132
 of Earth, 132–134
 of sphere, 130–132
 on moon, 129–130
 two-layer system, 134–138
- Radiative transfer
 as diabatic process, 1–2
 relevance for climate and weather, 1–6
 relevance for remote sensing, 6–8
- Radiative transfer equation
 azimuthally averaged, 385–386
 Lambertian lower boundary, 209–210
 polarized, 317
 simplified for microwave radiometer, 377
 single scattering, 326–329
 specular lower boundary, 208–209
 with absorption and emission, 199
 plane parallel, 203–204
 with absorption and scattering, 381
 with extinction only, 155
 with scattering, 315–319
 plane parallel, 318–319
 with source function, 316
- Radio band, 63–64
 and remote sensing, 64
- Rain rate
 Marshall-Palmer size distribution, 374
 microwave remote sensing, 148
 radar estimation, 368–374
Z-R relationship, 373, 374
- Rainbow, 52, 72, 87–91
 from Mie theory, 361, 364–365
 primary, 89
 secondary, 91
- Ray tracing, 87, *see also* Geometric optics 432
- Rayleigh-Jeans approximation, 119–120, 125, 146, 375
- Reddening, 354–356
- Reflectance, 188, *see also* Albedo, Reflectivity
- Reflection, 72
 angle, 79–81
 critical angle, 82
 homogeneous medium, 79–86
 Lambertian, 100–103
 specular, 80, 99, 102
 total, 82
 water surfaces, 100
- Reflectivity, 95–96, *see also* Albedo, Reflectance
 directional dependence, 99–104
 homogeneous medium, 83–86
 natural surfaces, 96–97
 normal incidence, 85
 of water, 85–86
 polarization dependence, 84–86
- Refraction, 72
 angle (Snell's law), 81–82
 homogeneous medium, 79–86
- Remote sensing, 6–8, 57, *see also* Satellite
 active and passive, 146
 humidity profiles, 228
 infrared, 124
 microwave, 20, 64, 85, 124, 126,

- 146–148
- cloud water, 148, 351, 374–379
- rain rate, 148
- snow, 148
- water vapor, 148, 377–379
- ocean wind speed, 147–148
- radio band, 64
- satellite, 6–8
- sea surface temperature, 145–148
- split window method, 145
- sunglint, 128
- temperature profiles, 126, 221–225
- water vapor, 145
- Retroreflective beads, 364
- Satellite, *see also* Remote sensing
 - images, 6–8
 - clouds, 144, 145
 - infrared, 8, 108–109, 143–146
 - microwave, 146–148
 - visible, 6–8, 61, 106–109
 - water vapor, 8, 225–228
 - infrared spectra, 125
 - surface classification, 109
- Scattering, 150
 - as source, 313–314
 - by aerosols, 178–179, 330–331
 - by clouds, 178–179
 - clear air, 177–178
 - multiple, 380–385
 - visualizing, 382–385
 - Rayleigh, 340–351
 - frequency dependence, 344, 349
 - phase function, 344–346
 - polarization, 346–347
 - single and multiple, 325–326
- Scattering coefficient
 - mass, 161–163
 - volume, 161–163
 - mixtures, 162–163
 - size distributions, 366
- Scattering cross-section, 161–163
 - small particle, 349–351
- Scattering efficiency, 161–163
 - small particle, 347–348
- Scattering phase matrix, 317, 352
- Scattering, isotropic, 320–322
- Schwarzschild's equation, 198–199
- Sea surface temperature
 - from IR images, 145–146
- Semi-infinite cloud
 - as approximation, 407–409
 - flux and heating profiles, 397–398
 - radiative properties of, 393–398
- Sensible heat flux, 105
- Shortwave radiation, *see also* Solar radiation
 - separation from longwave, 127
- Similarity transformations, 409–410
 - compared with δ -scaling, 427
- Single scatter albedo, 153, 161
 - δ -scaled, 427
 - clouds, 367–368
 - dependence on drop size, 368
 - dependence on phase, 368
 - mixtures, 163
 - similarity transformed, 409
 - size distributions, 366
 - small particle, 348–349
 - spheres, 356–358
- Single scattering co-albedo, 368
- Size parameter, 338
- Skylight
 - blue sky, 330, 351
 - from single-scatter approximation, 329–331
- Slab geometry, *see* Plane parallel approximation
- Smog, photochemical, 67–69
- Snell's law, 81–82, 88, 93
- Solar constant, 130
- Solar heating
 - atmosphere, 304
 - surface, 104–105
- Solar radiation
 - absorbed, 46
 - by snow, 105
 - globally averaged, 132

- zonally averaged, 5
 - at top of atmosphere, 45
 - indirect measurement, 179–181
 - atmospheric heating, 304
 - in clouds, 380–382
 - infrared, 2, 62–63
 - non-overlap with terrestrial radiation, 65
 - significance of, 2–3, 65
 - spectrum of, 61
 - ultraviolet, 3, 58–60
 - visible, 60–61
 - wavelength range of, 65
- Solid angle, 34–37
- Solstice, 48
- Source function, 316
- Spectral window, 143, 176
 - “dirty”, 177
- Spectrometer, 211
- Specular reflection, 80, 99, 102
 - in radiative transfer equation, 208–209
- Speed of light, 26, 73
 - in nonvacuum, 26
 - in vacuum, 26
- Spherical polar coordinates, 33–34
- Split window method, 145
- Stefan-Boltzmann law, 112, 118–119, 121
- Steradian, 34–37
- Stokes parameters, 41, 317
- Stratocumulus, 141–142
 - albedo, 401
 - microwave brightness temperature, 379
- Successive orders of scattering, 418–419
- Sun
 - color temperature, 118
 - effective emitting temperature, 119
- Sundogs, 91, *see* Parhelia
- Sunglint, 108, 128
- Susceptibility, 22
- Terrestrial radiation, 65, *see also* Infrared (IR) radiation
 - non-overlap with solar radiation, 65
- Thermal emission, *see* Emission
- Thermal infrared radiation, *see* Infrared radiation, Longwave radiation
- Transmissivity, *see* Transmittance
- Transmittance, 75, 155–157
 - band-averaged, 279
 - diffuse, 188, 385, 402
 - direct, 188, 405
 - exponential atmosphere, 181–187
 - monochromatic flux, 206
 - multiplicative property, 75, 156
 - plane parallel, 166, 168
 - small optical path, 156
- Two-stream method, 381, 385–393
 - backscatter fraction, 389–390
 - boundary conditions, 393
 - solution, 391–393
 - two-stream approximation, 386–387
 - two-stream equations, 388–389
- Ultraviolet (UV) radiation, 58–60
 - absorption by oxygen and ozone, 66, 172
 - as ozone source, 66–67
 - biological hazards of, 59, 67
 - significance of, 59–60
 - UV-A, 59, 67
 - and tropospheric chemistry, 68
 - UV-B, 59, 66–67
 - UV-C, 59, 66–67
- van Vleck-Weisskopf line shape, 258
- Visibility, 331–335
- Visible radiation, 60–61
 - contribution to solar output, 60
 - reflectivity of clouds for, 60
 - transmission spectrum, 173, 177
 - transparency of atmosphere to, 60
- Voigt line shape, 260

- Volatile organic compounds (VOC), 68
- Volume absorption coefficient, *see* Absorption coefficient
- Volume extinction coefficient, *see* Extinction coefficient
- Volume scattering coefficient, *see* Scattering coefficient

- Water
 - index of refraction, 73, 74
 - microwave emissivity, 125
- Water vapor
 - 183.3 GHz band, 175
 - 22 GHz line, 175, 379
 - 6.3 μm band, 174, 214, 226
 - 6.7 μm imagery, 225–228
 - absorption in near IR, 174
 - as contaminant in satellite measurements, 145
 - as greenhouse gas, 62
 - atmospheric abundance, 170
 - continuum absorption, 262–263, 309, 311
 - microwave, 176
 - dimers and trimers, 262
 - far IR absorption, 174
 - importance for heating profiles, 307–311
 - IR absorption spectrum, 265–267
 - microwave remote sensing, 148
 - molecular structure, 240
 - profile retrievals, 228
- Wavelength, 14–16, 53–54, 66
 - and color, 60
 - units of, 54
- Wavenumber, 54, 66
 - units of, 54
- Weighting function
 - absorption, 184–187
 - band-integrated flux, 301
 - emission, 200–203
 - in profile retrievals, 222–225
 - monochromatic flux, 206
- Wien's Displacement Law, 111, 115, 117–118

- Zenith angle, 33